



REVIEW ARTICLE

What are the support needs of nurses providing emergency care in rural settings as reported in the literature? A scoping review

AUTHORS



Georgina L Burrows¹ RN, MN, Clinical Nurse *



Pauline Calleja² PhD, Director Post Graduate Nursing Programs



Marie Cooke³ PhD, Professor of Nursing

CORRESPONDENCE

*Ms Georgina L Burrows georginaburrows@gmail.com

AFFILIATIONS

¹ School of Nursing and Midwifery, Griffith University, Nathan, Qld 4111, Australia

² School of Nursing and Midwifery, Griffith University, Nathan, Qld 4111, Menzies Health Institute, Qld 4111 and Retrieval Services Queensland, Queensland Health, Kedron, Qld 4031, Australia

³ School of Nursing and Midwifery, Griffith University, Nathan, Qld 4111, Menzies Health Institute, Qld 4111

PUBLISHED

15 May 2019 Volume 19 Issue 2

HISTORY

RECEIVED: 22 February 2018

REVISED: 24 November 2018

ACCEPTED: 28 November 2018

CITATION

Burrows GL, Calleja P, Cooke M. What are the support needs of nurses providing emergency care in rural settings as reported in the literature? A scoping review. *Rural and Remote Health* 2019; 19: 4805. <https://doi.org/10.22605/RRH4805>

ETHICS APPROVAL: Ethics approval was not required for this scoping review of the available literature.

Except where otherwise noted, this work is licensed under a Creative Commons Attribution 4.0 International Licence

ABSTRACT:

Introduction: Australia is a country with a rich history, and unique geography, with nearly one-third of its population living in rural areas. This presents certain challenges to nurses providing emergency care in these regions, as their support needs are different from their urban counterparts. This systematic scoping review aims to determine the support needs of these nurses providing emergency care in rural settings as reported in the literature. Many other countries have large rural populations, and relevant international literature will be considered to allow discussion of the key issues and recommendations for the future of the rural nursing workforce.

Methods: Databases searched included PubMed, Cochrane database, ERIC and Google Scholar using keywords 'rural', 'nurse', 'emergency', 'support needs', 'challenges' and 'Australia', and research from 2012 onwards was examined for relevance. Earlier seminal texts were also included. Reference lists of retrieved articles were searched and citations explored for further relevant research material. The Joanna Briggs Institute's scoping review framework was used. The primary focus was on peer-reviewed research with supplementary grey literature (eg materials and research produced by organisations outside of the traditional publishing channels). International material was used

Keywords:

Australia, emergency, challenges, nurse, rural, support needs.

where relevant.

Results: Analysis of the literature revealed that the four main areas of concern were a lack of effective graduate training programs or the availability of mentors, poor recruitment and retention numbers, a need for better recognition for the extended role of the rural nurse as a 'nurse generalist' or rural 'specialist' and poor access to role-specific ongoing education. These areas of concern were exacerbated by geographic isolation and a perceived lack of funding.

Conclusion: Delivering appropriate evidence-based education to this isolated practice community is vital for safe patient care and improves rural nurse satisfaction and retention. There were gaps in current knowledge, and the body of research to date lacks information on the work of emergency nurse practitioners in the rural context, the effectiveness of graduate mentorship programs and the psychosocial aspect of the rural role. Recommendations are for improved role-specific ongoing education and the availability and development of graduate mentoring programs. Further input into recruitment and retention is required, and further research on the needs of rural emergency nurses is recommended.

FULL ARTICLE:

Introduction

Australia is rich in culture, history and natural resources, with a unique landscape, geography and climate^{1,2}. With over 24 million inhabitants, it is the world's sixth largest nation in terms of land mass³. Nearly one-third of the inhabitants live in areas outside major cities, with 2.3% of the population living in 'remote or very remote areas'^{1,3,4}. The Australian Institute of Health and Welfare defines 'rural' as anywhere that has an 'urban centre' with 999 999 inhabitants or less, and 'remote' as anywhere having an 'urban centre' with 4999 inhabitants or less⁵. The factors of population dispersion that make this country unique can pose significant challenges. In research examining rural Australia, a number of common themes have emerged including low population numbers and density, geographic isolation and a limited diversity of labour^{1,2,6-9}. With so many people living in rural areas, this presents a special set of challenges for health clinicians providing emergency care, and it means they have a set of support needs very different to that of their urban counterparts^{1,10,11}.

Australia has an ageing population with an ageing rural workforce^{1-3,12-14}. Our life expectancy as a nation is on the rise, reflecting better overall health³. Based on population projections by the Australian Bureau of Statistics, by 2064 there will be an estimated 9.6 million people aged 65 years or more, and 1.9 million aged 85 years or more, constituting 23% and 5% of Australia's population respectively³. This is also reflected in the age

of the workforce, with over 50% of the nurses and midwives registered to practice with the Australian Health Practitioner Regulation Agency (AHPRA) this year aged over 50 years¹⁵. Chronic disease rather than injury, accident or infection is now the biggest killer in this age range³. Health outcomes are poorer for Indigenous Australians, people living outside major cities, those in low socioeconomic areas and people with mental illness¹⁶. This is reflected in their higher rates of illness, health risk factors and death compared to other Australians, which presents further challenges for rural nurses because the majority of the people who have poorer health outcomes live outside of metropolitan areas^{1,5,12,16}.

Of the many different groups of people living and working in rural areas, health clinicians make up the largest workforce, with nurses forming a significant percentage of this heterogeneous group^{1,2,7,12,16}. There is a widely recognised global shortage of healthcare professionals willing to work in these rural areas, which threatens the health of these communities as they struggle to access adequate health care and other resources^{1,2,14,16-18}. Working in these areas presents significant challenges^{11,14,15,17-20}. Common themes identified in the literature range from difficulties with geographic isolation^{1,2,4,6-9,14}; problems with recruitment and retention^{1,8,16,18-22}; and a lack of access to continuing education, due to difficulty getting time off from work; limited financial resources^{2,6,8,9,11,14,15}; and a perceived shortage of applicable topics^{1,2,6,8-10,18,23-26}. The overwhelming majority of nurses

working in rural emergency departments are middle-aged women working part time in areas characterised by their presentation diversity and unpredictability^{2,14-16,20}.

Caring for the critically ill does not occur solely in large urban hospitals. Nurses practising in rural settings practise as 'nurse generalists', caring for a wide range of patients, including those needing critical care^{2,6,9-11,15,16,19,23}. Generalists need a wide variety of skill sets, and it can be challenging for clinicians in rural areas to maintain current practice through continuing education^{2,9,11,16}. Rural nurses are multi-skilled and have an expanded role compared to their urban counterparts¹¹. Health status of people has a major impact on their community. If there are not enough experienced clinicians able to provide excellent emergency care in these rural areas then the healthcare needs of the community will not be met^{2,11,16,18}.

This scoping review seeks to determine the support needs of nurses providing emergency care in rural settings as reported in the literature. The main focal point will be on Australian research, with international work included where relevant. With nearly one-third of Australia's population living in rural areas, Australian nurses providing emergency care in rural areas face challenges unique to themselves and have support needs different to their urban counterparts^{1,3,4,10,11}. The review will focus on four main areas of need, as established in the literature. Recommendations will be developed based on analysis of themes identified in the literature.

Methods

A scoping review method was selected because it provides a sound preliminary assessment of the available research literature, enabling knowledge gaps to be identified²⁶. It aims to identify the size, scope, extent and nature of the research evidence, and identifies a broad range of literature^{27,28}. This enables policymakers, planners and leaders to decide whether a full systematic review is required²⁹.

Search strategy

The Joanna Briggs Institute guidelines for scoping reviews were used. These recommends the comprehensive search of at least two online databases with an analysis of the text words in the title and abstract. This is followed by a secondary search using all key words; the reference lists are then checked for additional studies²⁶. In commencing the review, a search was performed using the key words 'rural', 'nurse', 'emergency', 'clinicians', 'support needs', 'challenges' and 'Australia'. The PubMed, Cochrane and ERIC

e-databases were searched, and a Google Scholar search was also completed to widen the subject knowledge. The search was further broadened to include all work that adhered to the above criteria either through exploring the citations given in the literature reference lists or other articles listed in Australian rural health publications²⁷.

Inclusion criteria

Because of the changing face of rural health, and the amount of information available internationally, only research from the past 5 years focusing on Australian peer-reviewed research with some grey literature was used; international research that was relevant to the Australian context was also included. Broad eligibility criteria were used to capture the full extent of literature in this field. All sources of evidence were searched including primary studies and text/opinion articles, leading to greater sensitivity in the search results, as is desirable in scoping reviews²⁷.

Results

The initial search through all databases produced over 900 articles. Duplicates were removed, and the remainder was further assessed for relevance based on their title and abstract, resulting in 30 articles being selected (Fig1). An article was included if:

- it was in English
- it focused on clinicians in rural and remote areas
- it focused on reported support needs or challenges in rural and remote health
- it focused on clinicians providing emergency care
- the research was either peer-reviewed or grey literature²⁷.

The main areas of concern revealed in the literature fell were a lack of effective graduate training programs or the availability of mentors^{2,8,18,19,24,28,30}, poor recruitment and retention numbers^{1,8,17,20-22}, a need for better recognition for the extended role of the rural and remote clinician^{1,2,10,31} and poor access to role-specific ongoing education^{2,6,8-10,15,18,22,23}. These were compounded by feelings of geographic isolation^{1,2,6-8,14,18,22,23} and perceived poor funding^{2,6,8,9,18,21}. These issues will be further explored in four broad areas:

- unpredictable nature of rural emergency care and the need for further education and support
- extended role of the rural emergency nurse
- implementation of rural nursing graduate programs
- issues surrounding the recruitment and retention of rural nurses.




Figure 1: Flowchart of review search strategy.

Table 1: Summary of literature on support needs of clinicians providing emergency care in rural areas

Region/country	Aim/theme	Design/method	Sample size	Intervention (if applicable)	Key findings relevant to review	Year of publication
North America	Addresses challenges of CPD/education opportunities.	Opinion	106		Rural nursing is challenging, particularly accessing CPD.	2017
Australia	Investigates nature and timing of support needed by graduate nurses in transition to rural work.	Qualitative case study, individual interviews	16		Clinical nurse leaders are invaluable for support, advocacy, encouragement, protection and retention of graduate nurses.	2017
North America	Evaluates mentor program to improve rural nurse satisfaction and retention.	Pre- and post-intervention design	450	Nurse mentor program	Reported increase in intent to stay in job, improved job satisfaction.	2017
Australia	Gathers information from rural emergency nurses on their experiences with end-of-life care.	Questionnaire	53		Nurses knew patients socially, impacting on quality of care.	2017
North America	Describes differences emergency nurses make in rural areas.	Opinion piece with staff interviews	4		Staff knew their patients well, highlights the impact of geographic isolation and patient safety.	2017
Australia	Describes nurse practitioner-led emergency mental health care.	Case study, analysis of qualitative and quantitative data from group semi-structured interviews	21	Introduction of nurse practitioner-led mental health service	Significant difficulties for rural patients accessing mental health treatment. Service was highly regarded.	2016
Australia	Explores experiences of graduate nurses in transition in to rural health care.	Qualitative case study framework	16		Graduate nurses require intensive clinical support and incremental teaching. Managers play a big role.	2015
North America	Establishes the role of forensics-trained rural nurses in partner-related violence.	Review	Not specified		Rural areas need more services, and more nurses trained in this field.	2015
Canada	Analyses recruitment and retention data in rural emergency departments.	Cross sectional study using web-based survey	64		Respondents had good quality of work life, but poor access to CPD, further study recommended.	2015
Australia	Explores transition experiences of nurses in a rural area.	Exploratory, descriptive, qualitative study	15		New nurses needed specific learning support due to unique nature of rural nursing.	2015
Australia	Compares effectiveness of emergency nurse practitioner service with that of standard care in rural chest pain patients.	Longitudinal, nested, cohort study	65		Further study recommended, scope for further use of nurse practitioners in rural areas.	2015
Australia	Examines impact of online learning and CPD for rural nurses aiming to increase their skills.	Pre- and post-test study	123	Online CPD training, increased computer time and availability.	Nurses completed relevant CPD, gained confidence using computers and online study.	2015
North America	Describes teaching rural nurses principles of evidence-based practices.		43	Web-based professional education program	Evidence-based online education is the way for rural nurses.	2013
North America	Examines medico-legal aspects of patients presenting to rural emergencies after sexual assault.	Qualitative, in-person interviews, with hermeneutic-phenomenological format	18		Recognised importance of rural nurses in assessing these patients; recommended further training for them.	2014
Australia	Explores reasons for rural nurse resignations.	Grounded theory, semi-structured interviews	12		Resignations linked to difficulties providing patient care; skill mix; lack of connectedness between organisation and nurses. Managers have a significant responsibility.	2014
Australia	Describes what is known about patients presenting to rural hospitals, and their interventions.	Systematic review of observational studies	19		Acuity was low, rural nurses treat many patients without doctor input; further research needed.	2013
North America	Determines educational needs of rural emergency nurses.	Qualitative, semi-structured group interviews/discussion	33		Nurses needed further education on care of critically ill. They were limited by educational isolation and limited resources.	2013
Australia	Describes effectiveness of team-based simulations for rural emergency nurses in management of acutely unwell patients.		3	Simulated scenarios with actor-patients	Team-based simulations were best for rural nurses in re-skilling, and maintaining emergent skills.	2013
Australia	Identifies contexts of supervision, support and mentoring interventions for rural nurses.	Integrative review and thematic synthesis	43		Interventions were mainly education and mentoring-based. Limited evaluation of supervision, or mentor interventions.	2014
Canada	Describes what impacts on rural nurses' knowledge, and information sources in paediatric emergencies.	Web-based learning modules followed by survey	187	Web-based knowledge exchange	Rural doctors and nurses rely on colleagues for information more than urban counterparts. Further study needed.	2013
Australia	Explores experiences and responsibilities of rural emergency nurses.	Mixed method – questionnaire and focus groups	120		The rural workforce is in crisis, the work is difficult, more support is needed, along with further CPD and funding.	2012
Australia	Establishes challenges faced by an ageing rural emergency workforce.	Qualitative focus group discussions, with thematic analysis	80		Rural healthcare is demanding, particularly for older nurses. To retain them more dialogue needs to occur.	2011
North America	Determines whether nurse experience impacted patient comfort level in the emergency department.	Survey design	122		More experienced nurses were better in emergency situations; strategies to improve this were established.	2009
Canada	Explores nurses' thoughts about mentorship, process involved and organisational features supporting it.	Semi-structured interviews, interpretive description analysis	7		Mentorship was beneficial, it aids transition, is influenced by the community, the organisation. Barriers: lack of mentors and staff education.	2016
Australia	Is a reference source to rural emergency nurses.	Textbook			Australian rural environment in	2014

	knowledge and skill to practise rurally.				unique and challenging	
Australia	is a reference source, providing better, cost effective health care, utilising nurses' the biggest assets.	Textbook, chapter			Practitioners require specialist training. Identifies the role of the rural emergency nurse and their 'specialist' 'generalist' skills.	2016
Australia	Describes what is known about nurses and their clinical supervision experiences in rural health care.	Scoping review	5		Nurses must clarify expectations; get support from managers; needs to be a shared understanding with universities; require better supervision.	2014
Australia	Describes implementing supervision for Australian rural nurses.	Interpretative, descriptive design: group discussion, participant interviews. Thematic network approach	22	Clinical supervision program	Clinical supervision must be focused, well planned and supported.	2013
Australia	Describes the influence of motivation on recruitment and retention of rural nurses.	Literature review	35		It is challenging, there is poor access to CPD, work can be overwhelming, poor recognition, insufficient supervision.	2012
Australia	Explores the challenges faced by rural nurses in their work.	Mixed methodology: focus group discussions, surveys, facilitated workshops	226		Challenges identified included staff shortages, skill mix, lack of CPD, geographic isolation, lack of computers.	2012

CPD, continuing professional development.

Unpredictable nature of rural emergency care and need for further education and support

Emergency nurses working in rural areas must be prepared to deal with a variety of presentations, such as labouring pregnant women, people with mental health disorders, chest pain and trauma, including paediatric emergencies^{1,2,6,9-12,18,19,22,32}. One of the most common themes identified in the literature was issues relating to the unpredictable nature of the work, and nurses' concerns and lack of confidence when dealing with acutely unwell patients^{2,10,14,15,20}. Nurses feel that they rarely have the chance to partake in educational programs, particularly those designed for the whole emergency team to practise working together in life-threatening situations^{8,10,11,18}.

The difficulty in accessing continuing education is influenced by several factors: some rural hospitals lack funding^{2,6-8,14,18,21}, so it is challenging for nurses to secure time off to attend courses; few staff are available to backfill their position; and there is a shortage of 'casual' staff to fill short-term absences^{1-3,8,14,18,20-22,24,30,33,34}. Limited financial resources make the geographical isolation harder to overcome, because the cost of travel in rural settings is high, it can be time consuming, and accommodation and course fees can be prohibitive^{1,2,8}. Due to advances in technology, emergency nurses working in rural areas have more options for continuing education than ever before, which is crucial for maintaining a skilled workforce in rural health care facilities⁹.

Many nurses perceived a lack of relevant continuing education topics^{2,6,8-10,14,18,22,23}; they reportedly favoured further education in an 'active participation' style with group-based scenario simulations². Observers found that registered nurses in rural settings in particular found this type of education beneficial to their 're-skilling' or maintaining their emergency management skills¹⁰. In one study, it was discovered that rural emergency clinicians (including both doctors and nurses) were actually less likely to make use of online training guidelines and education compared to their metropolitan-based colleagues, and were more likely to consult their work colleagues for advice when requiring further knowledge on a subject²³. Much of the literature also

identified a need not just for improved emergency skills but also for a better basic knowledge of key areas such as assessing and managing presentations relating to mental health issues, caring for bariatric patients and geriatric patients, and for victims of domestic violence and sexual assault; and managing paediatric presentations^{2,9,23,32,35,36}.

Extended role of the rural emergency nurse

Rural nurses felt they required better recognition and respect for their extended 'specialist' role, because they work in rural areas, often on their own with minimal support or backup, functioning with a severe lack of resources, including both staff and equipment^{2,11,14,37}. They have increased autonomy and responsibility compared to their urban counterparts^{2,10,11,25,38} and felt that this was not sufficiently reflected in their remuneration². Professional independence and an extended scope of practice can also mean professional isolation^{14,39}. Sometimes, the rural emergency nurse is the only clinician who might see a patient in an emergency situation, acting as an administration officer, nurse, radiographer, 'wards person', care assistant, social worker and physiotherapist or any other associated healthcare role^{2,11,18,22}. In many rural hospitals, there is no doctor on site full time – the nurse is responsible for assessing whether the doctor must be contacted and required to attend, leading to increased pressure on the nurse to 'make the right decision', a challenge not experienced in metropolitan facilities^{2,11,31}. In some areas the use of nurse practitioners has already been successfully implemented to improve the care of patients presenting with chest pain or mental health problems, or because of domestic violence and sexual assault^{1,9,32,35,36,38}, just as emergency nurse practitioners are now increasingly prevalent in urban emergency departments.

Implementation of rural graduate programs

Research found that rural graduate nurses benefited from graduate programs with an emphasis on the effectiveness of adequate mentorship and ongoing clinical supervision^{2,8,18,19,24,26,28,30}. Graduate nurses are just commencing their clinical careers, face greater challenges in delivery of safe

patient care and require more support than their more experienced rural colleagues²³. Evidence indicates that workload, skill mix and organisational pressures are still of concern for new graduates, and heavily influence their ability to safely and effectively perform their role²⁶.

Research shows that opportunities such as access to appropriate and adequate training; active involvement of stakeholders in program design, implementation and evaluation; a needs analysis prior to intervention; marketing; organisational commitment; adequate clinical supervision; and regular program feedback and evaluation could all contribute to making graduate mentorship programs just as effective as training initiatives when it comes to retention^{8,16,19,26}. The effectiveness of the mentorship programs depends on the timely support of graduates working in rural emergency departments. It is adversely influenced by inadequate staff allocation and resources, and a limited number of clinical supervisors, which are compounded by deficits in supervisors' 'mentorship' knowledge and education^{8,18,24,26,28}. New graduates need intense clinical support but many experienced emergency colleagues do not know how to meet these support needs^{24,26}. To perform well as rural emergency nurses, graduates need to have advanced problem-solving skills, and be able to multi-task, be independent and 'step up' and assume the team leader role early on in their career²⁸. Rural nurse leaders have an essential role in supporting new graduate nurses, and in facilitating the successful retention of nurse graduates in the nursing workforce^{21,24,34}. New graduates rely on them as clinical leaders to provide support, encouragement, feedback, emotional backing, advocacy, openness and protection from the unique demands of rural emergency nursing³⁴.

Issues related to recruitment and retention of rural nurses

Research demonstrates the importance of sufficient recruitment and retention strategies for any workforce. It is consistently demonstrated that this is a key support need for rural nurses^{1,8,16,19-22}. In Australia, to attract new nurses to rural areas, the traditional approaches include financial incentives, training opportunities; and attractive relocation packages including work visas, accommodation, ongoing clinical support, and the opportunity for personal growth^{16,39}. This has resulted in many overseas-trained nurses (and doctors) applying for positions; however, few choose to stay in their area of practice after their contract is completed, resulting in a high turnover of staff and a transient population^{14,16,21,30}. Outcomes can include a significant variation in standards of knowledge and skill sets, because many do not have postgraduate qualifications or rural specific training. There is evidence to suggest that these incentives being offered to nurses is creating a growing workforce of rural nurses inexperienced in rural health^{14,21}.

Most strategies to improve recruitment and retention have been predominantly education and training based or involved the use of graduate programs or mentorship pathways, which have shown some success in recruiting and retaining rural nurses^{18,19,24,28,30,34}. Studies in the past 5 years appear to favour this approach for

graduate nurses taking their first steps in to their new careers and for more experienced workers taking on the new challenge of providing rural emergency care. However, when nurses felt that they were unable to provide what they thought was appropriate patient care, the result was poor retention^{16,21}. In these incidences, it is up to the clinical nurse leaders to ensure that the core values and realities of the department align with the perceptions and expectations of the staff²¹.

Barriers to recruitment and retention identified in the literature include rural emergency departments finding it difficult to attract, support and retain adequately skilled workers^{15,19}. Efforts are hampered by several factors, such as high clinical workloads (especially for lone practitioners); limited career pathways; difficulties accessing appropriate professional development opportunities; a lack of formal mentoring programs; and little or no allotted time for professional study, or clinical supervision^{8,17,19,20}. Clearly documented positive approaches that were beneficial to recruitment and retention were improved education, and better training, supervision and mentorship. What is not clear however is what effect these interventions have on staff, service and patient outcomes^{8,20,21}.

Discussion

The literature reviewed offers a significant foundation from which to understand the support needs of emergency care nurses in rural Australia. It is important, however, to recognise the limitations of the current research and the significant gaps in the existing knowledge. According to Kidd et al in 2014², and Baker and Dawson in 2013³¹, little is known about the needs of the clinicians in rural emergency departments, therefore to ensure that the training and education for this group is maintained there needs to be further research on the subject^{2,31}.

Plenty of research for places such as North America and the United Kingdom is available but these places do not necessarily have the same geographic distribution as Australia. Many of the Australian studies have been performed on relatively small sample sizes, with some groups consisting of only handful of participants. The geographic distribution of the studies is also important; what applies in far north Queensland may be different to rural New South Wales or Victoria. The government for each state manages health resources, and each has a different approach, budget and initiatives¹. Given current knowledge is limited, and that Australia is such a complex, diverse nation, further study is recommended to influence future government policy.

The literature says that, unlike their urban counterparts, rural nurses are not exposed to high acuity emergency presentations as a core part of their daily workload, leading to significant concerns about perceived 'skills rusting'^{2,6,14}. Consequently, rural nurses may not feel as comfortable with advanced skills such as primary assessment, and the treatment, stabilisation and transfer of a critically ill patient^{6,9}. As a rural 'specialist' there is a need to maintain competency of a wide variety of skills, which creates challenges for nurses trying to maintain their current practice through continuing education across many

areas^{2,6,8-11,14,18,19,23}. There is evidence to suggest that rural emergency nurses would prefer more job-specific training in the form of in-the-field group training by visiting educators^{2,10}. The implications for further education are that the development and effective delivery of continuing education to rural nurses is required, because meeting these workers' unique educational needs is vital to safe patient care and nurse confidence^{9,11}.

Improved computer-based evidence-based training for rural nurses can help with educational deficits; however, few appear to take advantage of the available online training options^{6,14,23,25}. One possible explanation for this is that clinicians require better access to computers to complete the teaching; another opinion is that hospital bosses may overestimate their staff's computer proficiency^{7,14}. There may be available online training, but not all clinicians are confident or competent when using computers and online training resources, therefore employers should ensure their staff have access to continuing professional development programs that improve their information technology knowledge. This has the potential to improve staff productivity, healthcare standards and patient outcomes^{7,14}.

Consideration should also be given to the training and use of clinicians in extended roles, enabling them to meet the increasingly complex needs of the local populations^{1,11,32,38}. Greater numbers of emergency nurse practitioners could be employed; urban areas have already employed more nurse practitioners to suit the needs of their local populations^{15,38}. The advancement of the nursing scope of practice has the potential to improve access to emergency health care for rural patients; it also acts as a recruitment and retention strategy to entice nurses in to the workforce who may be looking for a new challenge, or wishing to work more autonomously^{1,8,18,40}. In some areas, the use of nurse practitioners has already been successfully implemented to improve the care of patients presenting with a diverse range of problems^{1,9,32,35,36,38}. Rural services are also under increasing pressure due to the ageing population; if health services are to be expected to be able to meet this future demand then more research and investment are required^{2,12}. Despite the increasing prevalence of emergency nurse practitioners and nurse practitioners, relatively little is known about the safety and quality of the service in the rural emergency department environment and further research is necessary³⁸.

The geographical distribution of nurses is also interesting. As of March this year, 1125 nurses registered with AHPRA were endorsed to dispense medication as a rural nurse practitioner¹⁵. Of these nurses, over 800 were registered in the state of Queensland alone, which is a large disparity in advanced role cover for the country. It requires study, investment and understanding of the influencing factors. There has been little uptake or research on the subject of the role of emergency nurse practitioners and nurse practitioners; in general, the short trials that have occurred were promising, but in all cases recommendations were made for further funding and study^{32,35,36,38}. Absent from the literature was investigation into disparities in the geographic distribution of rural nurse practitioners; a better understanding of this could assist the

expansion of the role.

It is well understood that effective recruitment and retention of rural nurses improves staffing numbers, which has been shown to improve patient care^{8,17,21}. The inability to provide adequate patient care has been identified in the literature as a major cause for resignation amongst rural nurses^{16,21}. This has significant implications for influencing policy, because the shortage of emergency nurses willing to work in rural hospitals is worsening. These hospitals often have a lower retention rate than urban areas, which is concerning because high staff turnover rates often lead to poorer patient outcomes^{16,19,21}. Researchers found that there were plenty of training opportunities available for rural emergency nurses, but that access is limited by multiple constraints^{2,20}. An example of the initiatives in place is a program run by the Australian College of Rural and Remote Medicine, which has developed a mentoring program to give junior doctors an opportunity to be 'nurtured and inspired' by their senior colleagues. Initiatives such as this could so easily be geared towards improving the numbers of emergency nurses in the same areas⁴¹. Most state and territory health services run initiatives looking to recruit 'regional and remote' nurses. Recruitment campaigns by the state government in Queensland acknowledge the prospect of professional isolation, offering 'incentives and benefits' to improve recruitment^{15,38}. However, some industry experts think that more training pathways should be available, with improved promotion of these programs to convince more nurses to 'go rural'⁴⁰. One suggestion is the addition of more structured graduate programs with better marketing, and the encouragement of urban universities to increase their acceptance of students from country areas, because this is an important determinant of future place of practice^{16,40}. This could significantly improve the number of graduate nurses entering the workforce with a commitment to rural emergency care. The non-profit organisation Rural Health Workforce Australia recommends the implementation of a rural graduate program that is offered to allied health workers, similar to those used by nurses and doctors, thus improving the multidisciplinary team approach to rural care⁴⁰.

Graduate mentorship programs exist but their studies either concentrate on one small community or use a small group of participants, so it is hard to assess whether they are statistically relevant. Results so far look encouraging and warrant further study to ensure they are evidence-based and performing as intended. The effectiveness of these approaches, particularly for graduate nurses commencing work in rural emergency departments, has featured increasingly in the literature, but relatively little is known about them^{8,18,24,28}. Significantly, successful completion of the graduate nursing mentor program has been shown to improve job satisfaction amongst nurses and augmented their desire to stay within the role^{24,28,30,34}. There is plenty of international literature to support the use of these programs but, although similarities can be seen, further information is required from rural areas of Australia^{18,30}. A well-designed program should feature both mentorship and direct clinical support for new graduate nurses and 'new starters' to emergency departments²⁶. This ensures that new staff feel well supported and have adequate access to learning

opportunities whilst feeling that they are a respected and valued team member. This promotes a sense of 'connectedness', so that they do not feel disillusioned with their role, and are more likely to stay^{21,30}. This is important, because it has become increasingly evident that poor retention is not always a result of geographic or social isolation, or lack of financial incentives; it can be a combination of poor support and a misalignment between nurses' expectations and reality^{16,21,30}.

When creating a mentor program for clinicians new to rural emergency work, a needs analysis must be performed prior to an intervention. Organisational commitment, particularly from the clinical leaders (and clinical facilitators where available) is imperative, to promote a healthy culture and vision for the emergency department^{8,21,26}. Further Australia-based studies would be worthwhile, preferably over several areas and involving a mixed methodology, focusing on the role and benefits of direct clinical support, the effectiveness of one-on-one mentorship and ongoing relevant continuing professional development opportunities.

Interestingly, most research to date lacks any mention of the social side of rural life, and whether this has any impact on nurses' decisions to stay or leave their roles. Invariably in small communities, most nurses and their patients know each other socially, and they often have to care professionally for friends and relatives^{33,37}. The psychosocial impact of a nurse's role in a close-

knit rural community requires further investigation, because it is a potentially significant support need. The limitations of this review are that it only included studies from the past 5 years, and included research only on rural nurses, and not other professional disciplines, meaning that the knowledge is not necessarily transferable to other healthcare roles.

Conclusion

Nurses providing emergency care in rural areas face a range of challenges. The most common support needs identified by nurses providing emergency care in rural areas were a perceived lack of effective graduate training programs or the availability of mentors, limited access to role-specific ongoing education, poor recruitment and retention numbers, a need for better recognition for the extended role of the rural emergency nurse, and poor access to role-specific ongoing education. These were compounded by geographic isolation and poor funding. To enable safe and effective patient care, staff in rural and remote environments need access to appropriate, focused and evidence-based education, which can improve nurse satisfaction and retention, as well as an improvement in available graduate programs featuring adequate direct clinical supervision. Further research across all areas is strongly recommended, particularly regarding the psychosocial impact of providing rural emergency care, because this is virtually unreported in the literature and could inform recruitment policy.

REFERENCES:

- 1 Francis K, Chapman Y, Davies C. *Rural nursing: the Australian context*. Cambridge: Cambridge University Press, 2014. <https://doi.org/10.1017/CBO9781107445383>
- 2 Kidd T, Kenny A, Meehan-Andrews T. The experience of general nurses in rural Australian emergency departments. *Nurse Education in Practice* 2012; **12(1)**: 11-15. <https://doi.org/10.1016/j.nepr.2011.05.001> PMID:21621463
- 3 Australian Bureau of Statistics. Population projections, Australia, 2012 (base) to 2101. Cat. no. 3222.0. Canberra, ACT: Australian Bureau of Statistics, 2013.
- 4 Kennedy A, Maple MJ, McKay K, Brumby SA. Suicide and accidental death in Australia's rural farming communities: a review of the literature. *Rural and Remote Health (Internet)* 2014. Available: <https://www.rrh.org.au/journal/article/2517> (Accessed 15 August 2017).
- 5 Australian Institute of Health and Welfare. Rural, Remote and Metropolitan Areas (RRMA) classification. (Online). 2016. Available: <http://www.aihw.gov.au/rural-health-rrma-classification/> (Accessed 15 August 2017).
- 6 Hendrickx L, Winters C. Access to continuing education for critical care nurses in rural or remote settings. *Critical Care Nurse* 2017; **37(2)**: 66-71. <https://doi.org/10.4037/ccn2017999> PMID:28365651
- 7 Mills J, Francis K, McLeod M, Al-Motlaq M. Enhancing computer literacy and information retrieval skills: a rural and remote nursing and midwifery workforce study. *Collegian* 2015; **22(3)**: 283-289. <https://doi.org/10.1016/j.colegn.2014.02.003> PMID:26552199
- 8 Moran AM, Coyle J, Pope R, Boxall D, Nancarrow SA, Young J. Supervision, support and mentoring interventions for health practitioners in rural and remote contexts: an integrative review and thematic synthesis of the literature to identify mechanisms for successful outcomes. *Human Resources for Health* 2014; **12(10)**. <https://doi.org/10.1186/1478-4491-12-10>
- 9 Wolf L, Delao AM. Identifying the educational needs of emergency nurses in rural and critical access hospitals. *The Journal of Continuing Education in Nursing* 2013; **44(9)**: 424-428. <https://doi.org/10.3928/00220124-20130816-38> PMID:23964675
- 10 Missen K, Sparkes L, Porter J, Cooper S, McConnell-Henry T. Developing team based acute care scenarios: a rural hospital experience. *International Emergency Nursing* 2013; **21(3)**: 186-189. <https://doi.org/10.1016/j.ienj.2012.08.002> PMID:23211761
- 11 Pearson A, Hegney D, Donnelly P. *Serving the community: the rural general*. London: Radcliffe Medical Press, 2016.
- 12 Daly J, Speedy S, Jackson D. *Contexts of nursing: an introduction*. Chatswood, NSW: Elsevier Health Sciences, 2017.
- 13 Fragar LJ, Depczynski JC. Beyond 50. Challenges at work for older nurses and allied health workers in rural Australia: a thematic analysis of focus group discussions. *BMC Health Services Research*

2011; **11(42)**. <https://doi.org/10.1186/1472-6963-11-42>
PMid:21338525

14 Paliadelis P, Parmenter G, Parker V, Giles M, Higgins I. The challenges confronting clinicians in rural acute care settings: a participatory research project. *Rural and Remote Health (Internet)* 2012; **12**: 2017. Available: <http://www.rrh.org.au/journal/article/2017>

15 Australian Health Practitioner Regulation Agency. *Nursing and Midwifery Board of Australia registration data. Reporting period 1 January 2017 – 31 March 2017*. Available: <http://www.nursingmidwiferyboard.gov.au/About/Statistics.aspx> (3). (Accessed 2 August 2017). Available: <http://www.rrh.org.au/journal/article/1900>

16 Thackrah RD, Thompson SC, Durey A. Promoting women's health in remote Aboriginal settings: midwifery students' insights for practice. *Australian Journal of Rural Health* 2015; **23(6)**: 327-331 <https://doi.org/10.1111/ajr.12247> PMid:26683714

17 Campbell N, McAllister L, Eley DS. The influence of motivation in recruitment and retention of rural and remote allied health professionals: a literature review. *Rural and Remote Health* 2012; **12(3)**: 900. Available: <http://www.rrh.org.au/journal/article/1900> (Accessed 15 August 2017).

18 Rohatinsky NK, Jahner S. Supporting nurses' transition to rural healthcare environments through mentorship. *Rural and Remote Health (Internet)* 2016. Available: <https://www.rrh.org.au/journal/article/3637> (Accessed 21 July 2017).

19 Kenny A, Allenby A. Implementing clinical supervision for Australian rural nurses. *Nurse Education in Practice* 2013; **13(3)**: 165-169. <https://doi.org/10.1016/j.nepr.2012.08.009>
PMid:22980923

20 Bragard I, Fleet R, Etienne AM, Archambault P, Légaré F, Chauny JM, et al. Quality of work life of rural emergency department nurses and physicians: a pilot study. *BMC Research Notes* 2015; **8(1)**: 116. <https://doi.org/10.1186/s13104-015-1075-2>
PMid:25889231

21 Bragg SM, Bonner A. Degree of value alignment: a grounded theory of rural nurse resignations. *Rural and Remote Health (Internet)* 2014; **14(2)**: 2648-2658. Available: <http://www.rrh.org.au/journal/article/2648> (Accessed 2 August 2017).

22 Ross EL, Bell SE. Nurse's comfort level with emergency interventions in the rural hospital setting. *Journal of Rural Health* 2009; **25(3)**: 296-302. <https://doi.org/10.1111/j.1748-0361.2009.00233.x> PMid:19566616

23 Curran JA, Murphy AL, Sinclair D, McGrath P. Factors influencing rural and urban emergency clinicians' participation in an online knowledge exchange intervention. *Rural and Remote Health (Internet)* 2013. Available: <http://www.rrh.org.au/journal/article/2175> (Accessed 2 August 2017).

24 Lea J, Cruickshank M. Supporting new graduate nurses making the transition to rural nursing practice: views from experienced rural nurses. *Journal of Clinical Nursing* 2015; **24(19-20)**: 2826-2834. <https://doi.org/10.1111/jocn.12890> PMid:26177875

25 Oman KS, Fink RM, Krugman M, Goode CJ, Traditi LK. Rural hospital web-based, evidence-based practice professional development: challenges and opportunities. *Journal for Nurses in Professional Development* 2013; **29(2)**: 58-63. <https://doi.org/10.1097/NND.0b013e318286c5f4> PMid:23657035

26 Trede F, McEwen C, Kenny A, O'Meara P. Supervisors' experiences of workplace supervision of nursing and paramedic students in rural settings: a scoping review. *Nurse Education Today* 2014; **34(5)**: 783-788. <https://doi.org/10.1016/j.nedt.2013.10.003>
PMid:24698307

27 Grant MJ, Booth A. A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Information & Libraries Journal* 2009; **26(2)**: (91-108). <https://doi.org/10.1111/j.1471-1842.2009.00848.x> PMid:19490148

28 Peters M, Godfrey C, McInerney P, Soares C, Hanan K, Parker D. *The Joanna Briggs Institute reviewers' manual 2015: methodology for JBI Scoping Reviews*. Adelaide, SA: Joanna Briggs Institute, 2015; 948-960. <https://doi.org/10.1111/jocn.12720> PMid:25345730

29 Lea J, Cruickshank M. The support needs of new graduate nurses making the transition to rural nursing practice in Australia. *Journal of Clinical Nursing* 2015; **24(7)**: 948-960. <https://doi.org/10.1111/jocn.12720> PMid:25345730

30 Jones SJ. Establishing a nurse mentor program to improve nurse satisfaction and intent to stay. *Journal for Nurse Professional Development* 2017; **33(2)**: 76-78. <https://doi.org/10.1097/NND.0000000000000335> PMid:28252485

31 Baker T, Dawson SL. What small rural emergency departments do: a systematic review of observational studies. *Australian Journal of Rural Health* 2013; **21(5)**: 254-261. <https://doi.org/10.1111/ajr.12046> PMid:24118147

32 Barraclough F, Longman J, Barclay L. Integration in a nurse practitioner-led mental health service in rural Australia. *Australian Journal of Rural Health* 2016; **24(2)**: 144-150. <https://doi.org/10.1111/ajr.12233> PMid:26311391

33 Beckstrand RL, Rohwer J, Luthy KE, Macintosh JL, Rasmussen RJ. Rural emergency nurses' end-of-life care obstacle experiences: stories from the last frontier. *Journal of Emergency Nursing* 2017; **43(1)**: 40-48. <https://doi.org/10.1016/j.jen.2015.08.017>
PMid:26409657

34 Lea J, Cruickshank M. The role of rural nurse managers in supporting new graduate nurses in rural practice. *Journal of Nurse Management* 2017; **25(3)**: 176-183. <https://doi.org/10.1111/jonm.12453> PMid:27928887

35 Annan SL. 'We desperately need some help here' – the experience of legal experts with sexual assault and evidence collection in rural communities. *Rural and Remote Health (Online)* 2014; **14(4)**: 2659. Available: <http://www.rrh.org.au/journal/article/2659> (Accessed 15 August 2017).

36 Neill KS, Hammatt J. Beyond urban places: responding to intimate partner violence in rural and remote areas. *Journal of Forensic Nursing* 2015; **11(2)**: 93-100. <https://doi.org/10.1097/JFN.000000000000070> PMid:25996433

37 Wiley K. Rural emergency nurses are making a difference. *Journal of Emergency Nursing* 2017; **43(1)**: 1. <https://doi.org/10.1016/j.jen.2016.11.008> PMID:28131344

38 Roche TE, Gardner G, Jack L. The effectiveness of emergency nurse practitioner service in the management of patients presenting to rural hospitals with chest pain: a multisite prospective longitudinal nested cohort study. *BMC Health Services Research* 2017; **17(1)**: 445. <https://doi.org/10.1186/s12913-017-2395-9> PMID:28655309

39 Queensland Health. Remote area nurses (Online). 2014.

Available: <https://www.health.qld.gov.au/employment/rural-remote/practise/nurses> (Accessed 2 August 2017).

40 Rural Health Workforce. *Rural training pathway needed for nurses and allied health*. 2016. Available: http://www.rhwa.org.au/client_images/1847364.pdf (Accessed 15 August 2017).

41 Australian College of Rural and Remote Medicine. *Mentorship and leadership program*. 2015. Available: <http://www.acrrm.org.au/training-towards-fellowship/supporting-our-registrars/mentoring-and-leadership-program> (Accessed 15 August 2017).

This PDF has been produced for your convenience. Always refer to the live site <https://www.rrh.org.au/journal/article/4805> for the Version of Record.